

$\frac{1}{dt}$

$$\begin{array}{r} 52\frac{1}{2} \\ - 6\frac{1}{4} \\ \hline 26\frac{1}{4} \end{array}$$

$$\begin{array}{r} 70 \\ - 2\frac{1}{2} \\ \hline 26\frac{1}{4} \end{array}$$

$$1+1$$

$$\begin{array}{r} 4\frac{1}{2} \\ - 1\frac{1}{2} \\ \hline 3 \end{array}$$

$$\begin{array}{r} 4\frac{1}{2} \\ - 1\frac{1}{2} \\ \hline 3 \end{array}$$

Don't know where to go
Don't know where to go
Don't know where to go

Subacute Meningitis.

Nov. 20/57.

Case of Dr James Garrach

Caroline Van Horn, Age 4 years, black eyes, smart child, has not enjoyed perfect health for some time, has had measles, & scarlet Fever, & has suffered from worms & gravel. About 5 weeks ago, complained frequently of her limbs hurting her, and also of pain in back of head. Was constipated, had no passage for a week. Frequently picked her nose, & was blowing through it all the time as if something was in it, which she wanted to get out.

Vomiting set in about this time. On 23rd, vomiting had ceased, for some time, after taking some lemon whey, but convulsions had unwittingly set in, having them every 3 or 6 hours. Picking at nose still continued, prelse in A.M., 88, fine tirequear, respiration sighing, & still nodded her nose, as if smelling something disagreeable. Pupils natural, intelligence good, but a staggered expression of face. Annoyed on being disturbed, did not complain of head, no swelling of head, limbs extended, eyelids entirely closed when sleeping, easily aroken, appetite poor, tongue, yellowish-white coat, thicker & yellower at back, edges pinkish, crustations clear,

4 P.M. Stas had a convulsion which lasted about
10 minutes, eyes cast up, arms firmly flexed,
wrist, very much flexed, fingers flexed, at meta-
carpo-phalangeal joints, but straight, thumb bent
at carpal articulation, but straight, and turning
towards palm, body bent like a bow, neck not
stiffened out so as to rest on the vertef. pulse,
^{was} 120, fell to 72 after the convulsion, was very
irregular, intermittent - no frothing at mouth,

Friday June 3/89

Ammonia in urine
makes it of a cherry
color. Put Acetate of
Lead (solution) & it
will throw down a
fawn coloured pre-
cipitate.

Young Child, 8 years ^{age}
Father died of Thesis
Pulmonalis, Hæma-
toma in her eyes of
the same, her counte-
-nance, face, eyes,
& all that indicate the
same. She is much
better than ~~the time~~
before.

10grs. 3 times a day.
Chlorure of Potash
Fowler's Solution

3grs. every day for
2 or 3 months

Wm Darrach Wm Darrach Wm Darrach Wm Darrach Wm Darrach

Friday, June 3rd 1855 12 M. Wm Darrach

Dr Darrach


Peter Mapey, the last Sunday. Psoriasis Guttata,
Had a rice meal poultice, quilted between a shin
graze & stout muslin, the shin graze on the inside.
so as to allow the poultice to bridge through. Come
again next Tuesday. Application of rice meal
or any other means the condition where there is
a want of epidermis. Reduces the Erythema,
which exists. Always inquire into the person's carry-
ing out the directions of the Doctor.

Percussing finger (not with left hand), as the anvil finger as the
hammer. In percussing, lay the finger or fingers, as needed,
in spaces between the ribs, in a straight position. Leave no
space under finger or finger, that air can hinder sound.
then strike with the fingers of the right hand firmly together
by the thumb, holding this flat hand at wrist, keeping
the wrist fixed, as a fulcrum for the muscles to work from.
In a thin chest, there is only needed one finger of each
hand, one as an anvil other as the hammer.

What does purpura in the
urine indicate?

What

What What What What What
What What What What



Cartoon Green Age
Inhuman Fear,

Been sick 2 1/2 weeks

Nothing to all whether it is
Chronic or acute, Sensation has to do
with surfaces, called pia mater,
arachnoid, plexus, peritoneum, or
serous membranes, mucous
membranes, or the lining of bowels etc.
When diseases are acute, they act
on these surfaces or skin surfaces.
These are the sensitive surfaces.
When they stop

What What What
What What

Good a chill, (sensations) on the
dermal surface, then
shock (muscular). Then

How many are there?

3 kinds of convulsions,

Took it at 3 O'clock P.M.

Had it for 2 hours,

^{of chills} ^{Then}
sensations for an $\frac{1}{2}$ hour.

vigors for $\frac{1}{2}$ hour.

Then had a sweat. Left
hot. & had fever ^{for an hour} ^{Then} ^{sweat} returned

at 7 P.M. & then fell

asleep, when she awoke

with vomiting, green,

& bad smell. This took

place at 6 O'clock. There

was no fever until day after.

When chill & fever commenced

at midday & vomiting fol-

lows. Intidien ^{since}

comes on in morning ^{short strong}

^{middling} ^{long}
Tertian at M. Quartan P.M.

with regular chill, then a

short fever & sweat. Had in

1st week, every other day, now

every day. Passed from

Tertian to double Tertian

alternately mild & strong,

On Monday, very bad,

" Tuesday, same hour

" Wed. & _____

Was not so much after

Intermittent fever a general disease
with new hepatic angulations. Very
sore on liver when she has chills.
In remittent, stomach & duodenum
is involved. In malar, liver is affected.

Gros her Linné.

Rt. Sulf., Crinoidum 3lb
 lb. pick 10 lb. Nephrolepis 1 lb
 some show very few bones
 I saw 12 yrs or there before she expected
 time for chess & then commenced at 7 O'clock
 PM + continued until night
 might to have been taking them.

Today, Chills will come on
at 3 P.M. Keep out of drafts.
soured air & eat simple diet.
Hopes that will stop chills. When they are
stopped, they are able to return every 4 days.
Called the hepdominal chills from there.

It will cause congestion of the liver,
Then secondary congestion in stomach
lungs, then abdomen, uterine
vessels, hemorrhages, then on brain
thence apoplexy, spinal cord
then on nervous system, griping, neuralgia,
spinal convulsions.
Sometimes on kidney. It must

Come back on Friday 12th
Therew Poncel here before.

If a child has a pale face, there is something wrong. Never purge a child in this condition.

Very entire. Calomel $\frac{gr}{8}$ was
given. Done to act on liver, and to
relieve that, and by that means
the bowels. Bowels not new or
pale. Evacuations normal, New
gastric bowels, were green. They are
pale yellow colour, ^{or dusky} orange, and brown
orange. Continue same treatment
Give her nothing but bread milk.
Give her some iron powders.

Re. Hydrarg. Chlorid. mixt.

5. Gr's. to be done every two hours

Mary Cahill, Cloasma
Using Donovan's. Some more
on back, but of a different col.
All gone from arm. Continue
same treatment.

Peter Murphy, Age 65, husband of
Bernice Guttata,

Epithelioma, such as scarlet, severe
in places

Vesicular, with elevation containing
serum & fibrin and pus.

Bella

Pustular, such as contains pus & yellow
Papilla, elevation without any fluid
Tuberculous, hard lump.

Squama, scaly, this is of the
kind, Bernice Guttata.

Transudation all passed away,
circulation better, swelling gone
down. Eat out. meal good for
dinner time & put up meal
poultice on outside of leg tomorrow
Friday.

William Dougherty, Age 8.
Gonorrhea

Dr. J. P. Childs & Dr. J. P. Childs

Dr. J. P. Childs 12

J. Give him one ~~very~~ ^{small} ^{amount} ^{of} ^{the} ^{medicine} ^{at} ^{bed} ^{time}

Jefferson College
27 years of age
unmarried.

Tumor in Mammary
gland, nipple retracted,
gland well developed, Cause
of this retraction as a
tumor, hard, ^{with} sharp, lancinating
jagging pain. Larger as a
fistula's leg, probably existed
there for great while, noticed it
for last 3 or 4 weeks, health
good otherwise. Scindus.

in earlier stages. Well known
incompedible, hard tumor.
Nothing expected from
medicine, except for general
health & as this woman is
healthy, no use from its Epithelioma
is the only thing, very thing
for it, let the whole gland be
excised, but not now. Let it be
not prepared for anything, &
wait till we see whether pain will
increase then it will be time
to excise the whole gland & the
base of the breast.

here before.

Drinking of acoplague. Much
better, can swallow easier, come
on gradually to be better. Intention
probably move. Come back again.
Another new case. Has eaten
nothing but soft food for the last 10
weeks. Come on suddenly in 2
weeks. Long time in lair. Can
scarcely eat. Can drink easily.

tongue much coated, appears
 poor, looks eating headaches,
 pain goes down throat & chest
 subject probably passes easily down
 stomach, large one does not,
 sticking very much same as
 the previous case, in same
 situation. Trouble depends on
 derangement of digestive organs.
 Give her peruvian medicine. Little
 spinal irritation although main
 thing is in digestive organs. Give

Borneo map
 above
 Comp. Exp. Culverpunk
 Specie.

also given her

Rf. Luis, Iron July 20

Line. Auf Vornica get. 10

Spine marked this a day
with much hard cold water, &
all the body the same way &
Kept her on good diet, plain
simple food

Child, 4 mos. old. Nerve
on head. Cerebrum not any
broad but higher than at birth.
Nerve, subcutaneous &
Cerebrum, enlargement of
line of pectus, Nerve. Nerve
Stim. infection as in case
before, for some way. Tumor
solidifies instantly.

1st. hardened cuticle and
 inflamed cutis vera and
 episthema of sacro-cervical
 region. Inflamed front
 of arm during growth by crystals
 with syphilis previously has been
 prepared. Now dimple with white
 -hardening, with thickening of the
 -cells with the characteristic of the
 1st. in the cutis vera and episthema

This Division

This division substantially is a new thing & is of great good in anything of this sort, carbuncles, circump, & other things.

This Division


Went into various Varies of leg, & aphrodisiacs. Made list of seven issues immediately on being principal in, with Alimony being made of equal parts of Almonds & Butter & Almonds made into Butter by alcohol. But it was a small Canoe slightly there about 15 min. thrs. out & at last seen no other used.

Units with imperfect action. On introducing bright find a sort of depression again intro then given direct & per sp thru in it small principle, then introduced green as a Boiler, intro bright 2 at times ad and 2 at last it

Jane Parkison, Agt & Been Sick 2 weeks, Has chills every day, every other day worse, last 15 minutes, ^{then} Great another 15 or 20 minutes. Have them about 7 or 8 A.M. sometimes on bad days until 2 or 3 P.M. in spells. Feels very weak after the attacks. Had them at 7 or 8 this A.M. Pulse 72. On bad days has them Bores all regular. Appetite, poor. Chills & sweat follow each other with intervals until P.M. on bad days & on mild days only till 12 M.

R. C. Chelona. Lulph. off to grv on day mild any 3 hours & on bad days when chills are off in P.M. every hour

What 2 nervous systems
are there.



Friday, June 20, 1859

Congestive
Friday, June 20

Many Cases. Spinal affection
such as a man going a business
& not knowing any thing but
acting very eccentrically, in
going about his business
without reading.

Give him Phosphorus
diet, & it will come back
again & ^{be} cured.

Sometimes in Stricture of the
urethra, small part of sole of
foot is pained. In passing
large pain is stopped almost
immediately. In both
kind of disease it is in sentient
organs. In heart disease
angina pectoris, many complaints
of pains in arms & chest, lies
in sentient organs.
Upper limbs made a complete
disease of heart & thoracic
part within organs.

Lower limbs of the abdominal
affections. Individuals who
are constantly moving their
head, pulling, the movement of
the muscles of face, mouth,
nose, but the eye is affected
constant squinting, but the
eyelids with accessory muscles
of neck are connected. If there
be a disease in muscles
of neck, there will be a
symptom in eye.

All poisonous plants have
five anthers & one stamen & style.

Bromide of Potash acts by
restoring nerve power. Good in
Leucorrhoea, Erysipelas, ~~Scabies~~
Phosphoric acid, Ammoniated
solution of Quinine
in all cases, give boost to
the ganglia. Bromide of Potash
is associated here with the
of Chamberlain acts by producing
weakening of another part thus
strengthening by division

Each organ has its
nervous system. Central
nervous system. ~~Brain~~
eye, ear, heart &
most much to autonomic
system.

Friday June 25

Symptoms may all
be in central system
disease in nutrient
vice versa, stroke
perisin is explained
by an affection of uterus
pain in knee in
hip disease

Many uterine affections
may be cured by applying
sympies over uterus

6	25	19
10		175
60		21
196		26
60		
256		

Many Nerves,

Pain in side;

pulse 72.

Ordinary Calibre, no other
frequency nor contraction.
If frequency or contraction,
fever should be suspected. &

Skin was + hot, moved in
crease that suspension, & t
to show, tongue was coated,
3rd argument for fever. Tongue
nothing, febrile about it. Fever
^{depression of strength}
3 kinds of strength, muscular
organism, sympathetic, something in
heart, lungs, stomach, abdomen.
a. Sensitive.

upward

Seems in face moderate condition
of lungs & the of brain's
the eyes. most severe something like
stroke, no

Breathing related to action of chest
Lungs governed by inhibition system

chest by cerebro spinal system.
Besides the accessory nerves, in
great difficulty of breathing, eyelids
are raised, nostrils dilated, shoulder
group. If an individual can count
20 or 30 or 40, can see whether
lung is right. Nothing wrong
in face, eyes

Feels weak in back, Has had it
about 2 weeks. May arise from
want of sensitive power. In Bili's
fever, there is a pain of back. In
Small Pox, a great sympathetic,
intense weakness of back. Pain
in the back, had it for 3 weeks.
When she lies down, feels much
Waits quiet, has slowness of motion
when far, pain in back.

Been sick 3 weeks, Pain again
in side, in back. Has
shut her courses for 3 weeks, have
not stopped, going constantly, very
abundant. Is M. C. Bell's case.
Came to town on Friday A.M.

working on sewing machine
has caused venous congestion
& her periods do not cease

27 216 (8)
216

8
3
21
216
52

Mr M.D.'s Infant ^{Oct. 11/1880}
Child of ordinary good health
strong frame, rather fat, no
disease from early life
except habitual constipation
for which it rec'd doses of calomel &
or gummies, $\frac{1}{8}$ to $\frac{1}{4}$ grs per dose with
conspicuous results. In early part of
June, child cut 4 teeth without discom-
fort or any troublesome symptom. On a m.
of 12 child seemed to be in ordinary
good health. 3 P.M. child had a
strong slimy discharge from bowels
after which very violent colicky pains.
Dr. Fink called & found child
cold blue depressed pulse, copious
discharge of clear blood from anus.
Child died on Sunday Night in
spasms. Post Mortem.


Intercception, 8 inches long, 3 folds
of bowels. Colon pushed up & small
bowels, 8 inches past the valves great
inflammation there.

many cases of intercception
occur in death struggles but there
there is no infant that can be
drawn out easily.

Many cases of inter occur

Zypharium has not done good.
 Tachinid before *Zyphium* powder

Adams, structure of parts of



a. Dermal

b. Cystomeres

c. Thick skin

d. Pits made of fat cells, composing
 adipose tissue, consisting of cells, fat &
 beds connecting them

e. Larger cells made of yellow fatty
 interstices

f. Tarsus

This is not universal, if the part
 of the penis were at, begins of generation
 would be filled up & embarrassed
 function. Therefore there is a thick
 whis. If the fat accumulated in
 same way, in penis, great embarrass-
 ment would succeed. The skin etc.
 it is so arranged as not to be under
 the movement. As persons become
 dyspeptic, parts under the eye become
 baggy, showing debility. Same with
 Arsenic. It does this

stands sometimes well
 under influence of arsenic
 also of opium.

Corcoran tubercle has
 a wide spread influence
 on parts in poisoning.
 Arsenic catches hold of
 parts & stays there in
 poisoning.

Very, As Gastric juice
 stronger in youth than
 in persons weakened by
 disease. Most cases
 of opium in the former
 category.

Indications.

Can on two pages before

Constant constipation, a defect
 in large bowels, bloody discharge
 pain chiefly in colon, movable
 a about noon. Is it not

always back pain in them

Is it not always owing to
 debility of large bowels

Is it not always in children

Does it ever occur in adults.
 The purist-almi action of bowels
 in childhood is not constant
 than in adults. Neon is very
 more irritability. If return
 has been constipated in infan-
 cy it is well abnormal.
 A Reverse action often takes
 place. If it can't go down, it
 will go upwards.

Aug. 30th 1859.
 Joseph M. May, Age 41.
 New York.

Lipra Vulgaris
 Lipra vulgaris, disease
 generally appears in joints,
 here in ankle. See eruption on
 notes of Aug. 27th 1859.

Gave him

Rt. Induct. Sulphur. grs.

Aftersupper 31

+ Fowler's Solution. 3fs


.10 grs. 4 times a day.

Appearance. 12m. No scales,
 4 large spots almost papules, 3
 smaller, 2 clustered, slightly elevated.

on upper part, surface
 pale. + not red, where
 there are pimples in central
 part of patch, there are none.
 when fingers pressed in places
 of red spot, leave a yellow
 colour, which by a moderate
 circulation in capillaries
 resumes a moderate
 redness as, in Erythema
 Sceler. Derm, etc. Pressure
 of fingers also gives sensation
 of thickened derm, hence
 we say that this disease
 implicates the derm. This
 thickness of derm with
 corneous epidermis,
 making leucoma, is
 associated with a trans-
 action of gelatinous matter
 under derm, so as to aug-
 ment the size of part,
 all which extends deep
 over the entire foot giving
 the ankle 3 or 4 times its

Normal, bulk of so
the heel instep, sole of
foot, & each toe, making
this a limb so deformed
it bulks representing the
foot of an elephant that
the disease is called
"Elephantiasis", which
comes under head of
"Tuberculosis", which means
nodding up of the skin.

On left leg spots much
less distinct, surface rather
paler. Lender's has given
him the Adrenalin injections.
although not much



pulse 96, soft & full not untran-
-sed, feels full in stomach,
no effect on tongue. Stools
regular, feels vigorous in some
brown with some
treatments, & come back in
Friday. Continue diet.

~~Isabella~~ Rebecca Low
Mammals
Flooding
R. Contracept

Ferris Sulp Jff
Linn Sulp grxr
Acid Sulp. Annua 2.1.
Aqua 3iv
S. Teaspoonful 3 times
a day

Ellen Dougherty
Age 30, Married
Weakness, ligamentous
head, had 4
children, Married
10 years, youngest
2 1/2 years old.

Courses every 3 weeks,
Whites, had that
peculiar look
indicative of them.
Sleeps poorly. Very
weak. Had the
since last confinement,
feels sore on sitting
down. No clots in
menstrua. Very much
pain in them

burning pain, water
burns previous & after.
being unwell, intermittent.
And. These are symp-
toms always of some
acute affection of the
ureters. Also bowels consti-
t & pain in passing feces,
strains in doing this.
All symptoms as above
& principal ones will be
unwell in ^{about} 10 days.

Rx.

Stychnia granulosus
Sig. one three times
a day
Take a bottle of hot
Clant. Wine & apple
in 2 glasses of water
use as injection twice
a day. Work little

Rx.

Chloroform qtt xv
Acet. Plumbi gr x
Sacch. Alba Zi
Aqua Mentha 3j
M.

P. Take every two or 3
hours

Pleasant drink for
Infants during teething
to regulate Bowels

Aug. 31, 1857.

Dr. Spooner's Clinic

David Fitzgerald, Age,

1 child, 12 1/2 mos. old.

Got conjunctivitis at cat.
Effect of bad cold caught
in eye, then this by rubbing
constantly has caused
corneal ulcer. It is
now inflam. of all mem-
branes.

Under treatment for 4
mos. in Will's Hospital.
Took it in left eye July 17th
1858, on other April 1859

Was treated by Dr. Wether, then
at Will's Hospital by Dr. Littel.
now comes here,
while here, Applied 4 grs. solution of
Nitrate Silver to the eye & give
him a tonic of

R. Renu Mordhuif $\frac{3ij}{ij}$
R. Zinc. Ferri. Chlor. $\frac{f3j}{ij}$
S. 10 drops 3 times
daily

R. Sulph. Cadmium $\frac{grj}{ij}$
Sulph. Atropine $\frac{grj}{ij}$
Aqua $\frac{3j}{ij}$
S. drop in eye daily

Elizabeth Hughes, Married
Trachiasis & conjunctivitis,
eyelids much swollen, Marked
2 gr solution of Sulph. Cadmium.
little swelling &
bulging caused by
Schlorochitis, around pupils
hairs much left in number
& growing very slowly.
Apply 4 gr solution of Nitrate
of Silver to eyelids.
Sanitarious treatment as care
above

Friday, Sept. 2. 1889
James Jackson, Age 69.

Complains of pain in
hypogastric region, right
side, very violent.

Appearance of mouth,
short, stout body. No
recession of gums. Only lost
one tooth.

Pulse 60, Means. Comes
from North of Ireland. Was
a Laborer there, on farm.
Been here 30 years.

Has had pain ^{for a week} ~~since getting~~
Eye sore, has had it for 20
months. Apply this to the
sore, which is outward on the
eye.

Pain, catching, stops breath
Pain, when drops very
violent, and when he
walks very far. Water
natural. Hurts when he
presses hands around bones

Abdomen

Size by measurement, Palpation, Pain, Sensibility on percussion,
Distension or Collapse, Borborygmi, Tumors, Effusion, Hernial
Protrusions.

Bowels

Movs, — their frequency, Quality &c
Hæmorrhoids

Liver

Size, as determined by Percussion
& Palpation — Pain. — Jaundice &c
~~If enlarged, examine blood microscopically~~

Spleen

Size, as determined by Percussion
& enlarged, examine blood microscopically

Genito Urinary Apparatus

Uterus

Menstrual discharge { at what age it began
its regularity & present condition
amenorrhœa
dysmenorrhœa
menorrhagia

Leucorrhœa — character of the discharge. If pain, or
much leucorrhœal discharge, Examine os uteri and vaginal with
speculum.

Uterine or ovarian Tumors — Pain in Back — Difficulty in
walking or in defecation. Functions of mammae.

Kidney, Bladder &c

Lumbar Pain

Micturition — Easy, frequent, or otherwise.

Urine { Quantity in 24 hours
Quality
Color, Specific gravity
Precipitates, as determined by the microscope, &
Chemical tests, Action of heat, Nitric Acid &c. Test
papers

Stricture — Urethral discharges — ~~Spermatorrhœa &c~~

Dr J. A. Meigs's Schemes

Scheme for examination of Patients

I. Antecedent History

Name Age Birth Place

1. Single 2. Married 3. Widowed

If a Female { a. Number of children
b. Date of birth of youngest
c. Marriages

Place of Residence - healthy or not

Occupation { Laborious - Easy
Requiring confinement to house
or exercise in open air
Exposure to cold, heat or moisture

Social Condition { d. Wealthy - e. Comfortable
f. Poor - g. Destitute

Habits of Living { h. Temperate
i. Intemperate
Irregularities of diet
Excesses of any kind

Peculiar Habits { Habitual use of peculiar
drugs or articles of food
Venereal indulgence

Hereditary Predisposition { j. Tuberculous
k. Scrophulous
l. Syphilitic
m. Rheumatic
n. Gouty
o. Hemorrhagic

Health or cause of death of Parents
Sisters or Brothers

Idiosyncrasies

Temperament { p. Sanguine q. Nervous
r. Bilious s. Phlegmatic

Constitution & Physical

Appearance & Peculiarities

{ t. Robust. u. Feeble
Development of trunk limbs
deformities - Countenance
Eruptions on skin, skin nature
Hairs
Nervous excitability
Disposition to sleep
Habitual state of bowels

Intellectual & Moral Peculiarities

Previous Diseases

State of Health immediately previous to present attack

II. Present Illness

Exact date of present disease

How the attack began { Suddenly, gradually
or with premonitory symptoms
or not

Certain or Probable Cause

Course of the Disease

Previous treatment and its results

Present appearance, condition and symptoms
of the Patient.

Now study the most prominent distressing symptoms, by examining both functionally and physically the special system or apparatus in which that symptom appears to be seated. Study the other symptoms in the same way and in the order of their apparent ~~relative~~ ^{importance} ~~importance~~ ^{connections}. If the diseased symptoms are almost entirely confined to ~~one~~ ^{one} organs, apparatus or systems, having examined these first, proceed next to those organs and functions which are most nearly related to —

Respiratory Apparatus

Nares

~~Synopsis~~ of Schneiderian membrane. Discharges, Sneezing

Larynx & Trachea

Character of voice, whether natural, hoarse &c
 Difficulty of Speech, Aphonia &c
 Examine Uvula, Fauces, Epiglottis, Tonsils, Pharynx &c.

Lungs

Number of Respirations per minute

Character of the Respirations { Easy, Labored, Difficult, Quick, slow,
 Irregular, Spasmodic, Painful, Sighing

Cough { Rare, or frequent
 Short or long
 Paroxysmal or not
 Moist or dry

Expectoration { Scanty or profuse
 Easy or difficult
 Frothy, Impurified, frothy
 Mucous, Purulent, or mucous. Purulent
 Rusty, Bloody
 Microscopical examination

Haemoptysis { Color, appearance, consistence and
 amount of blood discharged.

Pain, seat & character { dull, aching
 burning or shooting &c.

Peculiarities in form of Chest,

Size of chest,

Relative size of the two sides

Movements of chest, their regularity, strength

Vital capacity as determined by Sphygmometer

Resonance as determined by Percussion

Signs elicited by Auscultation, Palpation, Percussion

Nervous System

Pratt

The Intellectual *Augmented*
Perverted
Diminished

Cephalalgia - Hallucinations
Delirium, Stupidity, Tremor, mania or idiosy

Sleep { Irration Dreams
Verigo
Stupor, Coma

Spinal Cords & Nerves

Pain - Tetis points - Spinal Irritation

General and } - { Increased, Diminished
Special debility }
State of all the same

Protrusion { Natural or perverted
Accompanied with fatigue
do " pain
do " trembling
Compressions
Tonic & chronic contractions
Rigidity, Paralysis

Digestive Apparatus

Thurs

Appearance of { Lips, James
Teeth, Jaws
Gums, Pharynx

Last in month

Engne

Mode of ^{eruption} Perturbation, Size & Shape, Color

Whether burned or coaxed, fissures, or twist
or any. Condition of Papillæ

Salivation, Mastication - Deglutition

Stomach

Appetite & Degree.
Perverse
Glimmer

Epigastric uneasiness or pain, Swelling, ^{or} flatulence, Eructation,
Nausea, vomiting, Odor & character of vomited masses.

no resonance in different spots
of abdomen. Pain rises
over the lumbar cord.
muscle. Neuralgic Rheuma-
tism. Abused on 8 days ago.
tongue white-coated. Sleeps
with windows up & also
wind blows on him during
work. Rheumatism from
exposure to cold & damp.

Rf. Don's Powder gr xxix

1. 3 gr each, 5 pills

1. Take ^{aprox} at 10 a.m., ~~4 p.m.~~

5 P.M. & 10 P.M.

Lie on oak needle gravel, bed.
Dinner Tuesday

Joseph Menissey, Neuron
30 Ash Ave.

Denne not as thick, not
as tough.

All Strabismus articulation
good no present degeneration
the encourage epithelia

Neuron Rdeena about
eyes, Pulse 84. slightly
contracted. Left leg
much less acid, & left
dark. Very little
itching in either

leg.

Come on Tuesday.

McCallan's Clinic

Charles Rogers, 25
Menses, regular, very full, flow heavy.
Pain in uterus from time she got away
little they were. Pain in left hip
from time she was in hospital.
Pain in breast.
Pain in the ovaries.
Had had 4 or 5 days.

1st. Give her a tonic.

Rf. Styrchnia ^{no} ~~gr~~ ^{15 pills}

1. one 3 times a day

Come on Tuesday.

Rp. Pils. Hydrarg grj
Aloes Puls grj
Specac grj
Blue map on line
Specac on skin
Aloes on Rectum
Sept. 6th 1859

Isabella Lynch,

Terruncula,

Same as given
Saturday, Chlorate of
Potash, 3 gr 3 times a day,
Conicon Friday,

Quinine & Strychnine
Chlorate of Potash, R. 26.
Married, 2 children.

Weakness, Had it for 5 weeks

Has 2 children, youngest 1

10 months, suckling. Has

Had her periods immediately

after birth of children regu-

larly. Smelling & pain in

Stomach since she was ill.

Took something which

clipped them. Tongue ^{little} ~~red~~

Crank, ~~weak~~, Pulse 72,

Appetite, poor. Sleeps
well. Child takes breast
mostly during day, sometimes
2 or 3 times at night.
Not much milk.

Dr McCallan's Case
Cancer does not eat

enough meat. Besides

this, menstruates from

some peculiarity. Thus

2 drains from mammae

exist. ought to eat

meat twice a day. Does

not get enough nutritious

foods.

Would give the fluid

extract of Targol, 5 drops

4 or 5 times a day

Constant flow from anus

2

a

16

Meley

Dysentery

Came her Opium & Laidig
Kramenia, which last stopped
Dysentery, but pain continued
for her Morphia. Comes
back with same symp-
toms as at first.

Calomel gr.ij

Opium gr.ij

Opium gr.ij

H. Pil. jr

S. on any hour &

car-mel gravel diet.

+ Mustard plaster on
stomach toadden
surface.

Rationale of the above
is follows.

Dysentery, as both pharynx
are shins & blood - discharge.
preceded by Morphia, & caused
by Laidig. Whence shins?
From mucous follicles, & also
secretion. Whence Blood?

From congestion of
capillaries. When
disease commences,
congestion stronger
keins blood. Lastly
congestion left, & the
shins comes on.

Conditions of shins

1. Transparent

2. Translucent

3. Opaque

If there is blood,
more discharges,
Of shins, left accor-
ding to above conditions
After Opaque, discharge
will be green frog
pond like mucous,
which comes from
portal system, because
liver closes up, & as
the case deepens, liver
commences to throw
off. When large
feculent spots are

observed, shows that there
is a lessening of disease.
Then stops for a few
days, then a skin, itching
discharge then regular normal
discharge.

Rationale of medicine.

Skin out of order, liver out
of order, & the sphincter muscle
Spasmodic is given to relieve the
contracted & dry condition of
skin, done by a cutaneous
manner. Calomel controls
the portal system, Opium
relaxes condition of the
sphincter muscles and
stops pruritus. Besides
this, the mustard plaster
on stomach cooperates with the
skin. Thus Opium, Spasmodic
& Calomel make best

than ^{bill} ~~Spasmodic~~ in cases
a Spasmodic was 1st used in
Dysentery by
Adams & took it up in

England etc. There were
the 3 combined, & antem
in this than Spasmodic.
Danterton cured dysentery
with Spasmodic & ^{gray} ~~Adams~~

Man with Belie's Fever

Give him one of

Plummer's Pills

composed of
Sulphur Antimony
Guaiacum
Jalapine
A.M. 10 gr. Pulv. Rhei

Adon Boyle brought
swelling in the legs
Had it since last Spring
of his
skin very flaccid. Swelling
in limbs very hard.
Symptoms of Tonsillitis
Wastefulness, evening
difficulty in swallowing
R Blue Map, gray
Jalapine Pills
From at night & morning
But none would do it

Child, Peter Paralysis

Repts. ^{4 yrs} 2, 3. All
back, Been sick 4 mos.
Had measles, got well
then took a few, lower
part of ~~body~~ ^{body}. Had a fever
when fever left him, but
all power of limbs usually
happens very suddenly during
one night. Trembling
comes on in this way.
Has a fever when paralysis
is found, when person gets
bumped ^{but} him.
Pathology, owing to the
softening of spinal
cord, because no sudden
no serious disease of
nerves themselves, but
owing to an inflammation
of the serous lining
of cord, causing
effusion of lymph, pre-
venting the blood

nervous fluid (which
then undoubtedly is)
Good chance, for a
Post-Mortem in such
cases, to get accurate
knowledge)
Treatment, they generally
remain the same way as
they are found in the
morning, after making
prognosis very doubtful.
If the above conjectures are
right, counter irritants
are very good, actual
cupping, blisters &c are
good, also giving
medicine to improve
general health.
Appetite, poor, sleeps poorly.
Give him some
preparation of iron, thus to im-
prove the blood.

R. Ferri. Sulph. gr
6 Min. Suleph
2 Quin. Suleph
P. 4 grs. 1/2 grs 1 gr. 1/2 grs

add to each dose a
couple drops of Nux Vomica.
let him have milk, &
sweet potatoes & such things
Give him exercise in
open air.

Rub on spine the
following

Veratrine gr x
Gauld grj
St. Ung. ~~grj~~

S. Liniment a day;
If pain was recent
would apply blaud
but it is chronic;

Or Astringe grj
Astringe grj
Har Astringe grj

Infirmary
Sept. 5th 1869
Lawrence Bradley
Age 30. Farm
Pain in neck, when
he goes to turn
around. Bowels
regular. A Lumbago.
aches during night
creeping pain, as
if something were
running between skin
& flesh. Can feel as
well as before. Pain in
neck of same sort
1st. Had a pain in tooth
had tooth pulled
out when pain spread
through neck. Neuralgia

R. Linim. Rulph. gr xviij
9 charls
S. One 3 times a day

When presses hand on back,
feels trembling.

James Carroll
+ John Sumpter.
Age 19 + 14.

Levia Capitis.
Had it for 5 + 5 years
R.

Sweet oil
Put silk - oil - cloths
cap on head, head being
slightly close, Wash 3
times a day with
warm water castile soap
+ then rub sweet oil on
then put cap on.

R. Sulf. Magnesia ʒij
Antimony Tartar ʒij
Aqua Distil - ʒviij
Syr. Simplex ʒij
Tinc. Acorn ʒi
S. Tartar ʒviij
R. Sulf. Morphine gr ij
Antimony Tartar gr i
Ext. Hyoscyamus ʒi
et Ft. Pil. No. 6
one at night

Also Young about the
street hospital.
Sept. 13. 1859

Has had bites & stings
1st time, came after taking
a drink of ice water, when on the
last 5 weeks generally
Fervent could not a
local, it is a general
disease.
came here a week & a
half ago, then better & now
since.

Age, associated with
ulcers, &c.
then eruptions, it gives
a vitality to the blood.
Increases vitality of blood, as
sax does to meat, as an
element of preservation.
If an aged person comes
with a sluggish complexion,
give it & you won't miss. Always
give it for age.

She is not entirely ^{well} yet.
Keep her for a week longer.
When it enters stomach,
immediately enters
circulation ~~and~~

quickly over whole system
Veins are absorbents, & the
absorbents are only tributary
to veins. Through whole
system in birds while, while
does the good. Potash are
medicating agents. More
call Chlorate of Potash
a nutrient remedy.

Porriro

This woman has been
under treatment for a
week & a half, and has im-
proved ever since. Appetite
better, very poor before,
sleeps better, which she did
not do before. Been sick
for 6 weeks altogether. Has
given 5 grs 3 times a day.

Luis not acting well, tongue
turned, headache. Recumbent.
Brown Fever.

Gave her

R. Podophyllin. gr. ʒ
Comp. Lft. Colocynthis gr. ʒ
St. Pile. No. 1.
 1. one every night same
 This is much better.

St. Catharine Springs

Salts of Calcium Chloride 29540

Magnesium chloride 1289.76

Sodium Chloride 781, 36

Iron Protoclauride of, 13.76

Shepherd of Gnome 16.32

Pinus Nagensia, Carb. of. 2.08

Magnesia Bromide 2.01

Magnesia Iodide 2.11

Silica salumina 2.47

This water is ~~held~~ in concentrated form in this body.

Given in a dilution, in
proportion of a dram in
4 ~~dram~~ ounces of water, 5 times
a day.

a Lady with palpitation
of heart with urine No
1004 to 1040.

Principle of entering up to
blood is endosmosis; on
this are dilute things
w^h are taken into system.

But we would give iron
this way, if we could, but
we can't, but it is given
after meals to be digested
+ aspirin system with
bolus. If we gave both
Canada + iron, would
give iron after meal
+ iron before

C. M. C. Bell & Co. Case
Carmichael Rodgers

Rf. Sulph. Ferri 3℔
Sulph. Zinci. ʒss
acid. Sulph. Annuat 2.℔.

than with Neuralgia
Rheumatism. Gave
him Dover's powders.
at first, ^{4 wine of Colchicum} ~~came back~~
~~in 2 days~~. No regular
pain. feels as if he
were struck. Since took
medicine, does not
feel it in hip. Oct. 45.
Had it since January
Feels relieved. Not so
much pain. Feels
only with pains

Water any yellow
Kind of sediment

Continue Treatment
to Dr Klapp

Dunlop's Ferro-Saline
is often for action on colon
to produce peristaltic action
the stop to peristalsis.

R. Magnesia sulph. 3i
Potash Bitarb. 3ij
Ferri Sulph. 3i

Put in a pint of
water. Give 1/2 glass
full in the morn before
breakfast

Fanny Martin

Headache, pain in
stomachic region of,
some one were pressing
squeezing the uterus
- on the head also. Give
the above Recipe to
her & come back.

Derangement of menses
is one of the principal
causes of insanity in
women. It is inquired into.
1/3 of a woman's life is
spent in derangement pro-
- duced by derangement of
menses.

Caused by wearing great
many pessaries all tied
around waist by tapes
9 out of every 10 girls
are now suffering from
retroversion affecting of
which the majority
of displacement of
uterus. Constant fullness
of bladder also is an
important cause of
displacement of uterus.
Women only evacuating
bladder twice a day. A
woman who allows
herself to become habitually
constipated, will make
her uterus to be forced
forwards, from forces
being there & hardened
the uterine ligaments
losing their contractility
that when prepared to fall
off, uterus lies down
front & back to its
former position

Why are Dover's Powders
given at night?

How does honey act as an
antidote of crocin subli-
mate?

Yellow oxide

Full dose of Sydenham's Anti-
monial Powder is grs. 3
every 3 hours, & take little food.

Effects are

- 1 Reduction of pulse
- 2 Equalizing circulation
- 3 restoring eliminatory functions,
bringing thereby an artificial
crisis & thus abating a dis-
ease which would be protra-
cted through weakness. Antimony
will reduce pulse to 60.

As that respect is allied to
Digitalis, Nutrat. Pepsop.
Yellow Ipecacuanha, & Veratrum
Viride. All these remedies
will lower pulse.

This combined with Morphine
relaxes system & allows
Morphine to act, which
is by itself in fever aggra-
vates fever & prevents sleep.

This gives rest during
night & prepares for
Zincine, which use in
2 gr pills with 1/20 gr
of Morphine.

R. Sulph. Zincine grs. xiv

— Morphine grs. 1/8

Lt. Pil. No viij

S. one every hour from
1 P.M.

R. Sydenham's Antimonial Powder
grs. xii

St. Chart. gr

S. one every 3 hours. Last
one for night with 1/16 Morphine
which will act as above.

Cure of Dr. L., suffering
from Influenza Epidemica
Fever.
This was sugar & dissolved

3 Forms of Antimony

1. James's Powder

2. Tartar Emetic

3. Tyson's Antimonial Pulvis

As regards 1st. Thucetamin

Sometimes inefficient

Sometimes very rough,
unsteady action. Note regard

to No. 2. Neon selected

Dr Geo. Fordyce put it

into use as a febrifuge

Difficultly. Can't be well

used in pronounced habits,

or when habit is to ultra

mine habits. Not applicable

as it is biased to do some

thing. Acts as an irritant

on mucous membranes,

before it acts as a sedative.

Now question is how to

give Antimony, to bring

out good & rapid bad

effects. Keller says

does this (seems evident)

unusually or anything

above & yet decidedly

febrifuge. Combined with

Nuxphala, secures it to

act & give patient sleep,

to wake up & get fallows

Individual who is naked

at 12 P.M. & give Linnin

& Nuxphala.

Many doctrines, one asserting

that fever comes from

local irritant. other that

there is a poison affecting

whole system associated

with local congestion.

Essential fever is the

latter.

Quincy? when is a prefebrile

period in the latter?

From 1 P.M. to 10

During which give Linnin

Then expectation, till

4 P.M. give Tyson's.

Then end expectation, give

Tyson's & Nuxphala

Yes. This is Vernal Intermittent
of my mind. I can't see
how miasm can form in
spring. No vegetable matter
to decompose. Because this
miasm

Douglas powder is given
at night on account of diarrhoea,
being more prostrated during
night.

Cream of Tartar given
in Irritability of papae
of urethra, when urine
is acid, because in doing
so, it is changed to Bicarb.
of Potash, & thus renders
the urine alkaline &
thus allays irritation.

Monday
Sept. 9. 1859

Martha Fullerton
Oct 30, Married,
one child, 13 Weeks.
Complains of weakness
1st. Then a severe cold,
then heat, ^{then} sweat. ^{Consequences} Had
it last Thursday. Had
a chill on Friday, A.M.
Then on Sunday P.M.
This morning a severe
sweat. Drinks water
great deal, but sick at
stomach, can't eat, feels
like throwing up. Then
added to chills of even
low & yellow stuff thrown
off. First on Sunday, felt
dizzy, very sore on right
region of liver & spleen.
Very weak, shade, & feel
very cold, when asleep
& when awake, & felt
better. On Friday, A.M.
on Sunday P.M. came

fever on all night,
this a.m. took
great sweating, feels
better now although
weak. Tongue furred.
Always has a sick
stomach & nothing to
throw up. Intermittent
pulse, 90. Head gets
slightly list dropping
over.

R. Hydrarg. Chlor. mix. grvj
S. Take this at night.
then a m Commence
with.

R. Clinelasma Suph.
 64x. Vitruv. 2. S. 3 1/2 x 1 1/2
 2 1/2
 16 deep purple in 1/2

After 6. P.M. Lake one every
2 hours.

ⁿ
Taylor,
Gonorrhea, Paraphimosis
Chordee

Had it 3 weeks. About
9 or 10 days after water
-course. Came on with
burning itching

Infect with Fungus
16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 8

If has Chordee
much, saturated
Laudanum triter
applied at night.

Emphim ~~on~~
shoulder & arm.
slightly suppurative
was thought, but not so.
Syrup. Sassa, Comp
getting well. Has had
suppuration, but has
undergone treatment

Michael Stake.

Swelling in groin
Had it 2 weeks. Had
no ^{appeared} change. Had
swelling in passing
urine. Had it $\frac{1}{2}$ week. & $\frac{1}{2}$.
Had intercourse Saturday
before. No Pain or change
on intercourse. Appearance
of pus in urethra. No
burning, any more than
now. Has now concealed
change.

R. Hydrarg. Protiodia grisea.
S. $\frac{1}{4}$ gr. 3 times daily.

But with R. ^{times} 2 a day

Ung. Hydrarg.
Diet. Be careful about
exposing to heat & cold.
No stimulants, coffee
alcoholic drinks.

James Lore. 23.

Had intercourse
last Friday, 2 weeks.
Felt it yesterday A.M.
Discharge commenced
yesterday. Gonorrhoea.
strict diet. & Doan's
Prescription. as case of
Taylor.

Had a swelling like
gravel. No discharge.
Can't pass water without
straining. Had the
Gonorr. 18 mos. ago, when
it stopped. Took no
injection. Pass $\frac{1}{2}$ tea-
cup full of water three
a day. No burning
doing it. Unusually
occupational. Pain in
back when he lies
down & get up, & lies
on back only. Heavy
dull pain.

great swelling in
abdomen, as an ascending
P. Potap. Iodid $\frac{3}{4}$ ij.
3 times a day. $\frac{3}{4}$ ij.
Very temperate.

Drinks grm once a day
generally. Tendency
to anasarca.

Joe. Smith

Case of Chancre.

Ulcers far from.

Taking

18 grs of Iodid. Potap
to aqua $\frac{3}{4}$ ij. 3 times

a day. Ulcers grow
with hydrarg. Ung.

strict diet.

Increase it to $19\frac{1}{2}$ a
day. Cocaine
Thursday.

San Univ a powder as
a stimulant

P. Hydrarg. Chlor. with

Oliz. Ford.

Burning in feet,
Ronchus indicating
clarity at both upper
parts of both lungs.

Red streaks.
At night, hectic
flush.

R. Pleum Mosses

S. Tablespoonful

every 4 hours after
meals

Mrs Sharr,
on hand & finger
burns. Take

some soot from
chimney & mix in
lard until lard is
perfectly black & keep
it there. Soot, especially
wood, is good on a/c of
the creosote in it,
which has antiseptic
powers.

Bowls not regular
also gums little
suffering from use
of Calmel.

Rf. Ess. Colocynthis Comp.

^{gr. xij}
Podophyllum ^{gr. ij}

[℞]
St. Pill. No. 6.

S. Take one 3 times
daily.

Rf. Tinc. Myrrh

Wash mouth out
with this twice daily.

Anna Dempsey Age 7th

Pulse

Ronchus in inspiration

Whooping Cough

Onsets of ^{3 or 4} ~~abrupt~~

Convulsive expirations, efforts

to expel, which are weak,

thrown into convulsion in

the efforts. While there is an

long made no air

goes in & there is an

asphyxial nature

causes the violent inspira-

-tion & causes the

whooping, which is a

symptom of convalescence

There is an instance

where inspiration is

Ronchus, some trouble

by which air is not let out

which will bring on a

state of asphyxiation

in blood

whether thinks that
child has swallowed
watermelon seed.
Had it 9 days, but
it has taxwced, &
I am disposed to
think there is no infant

Whooping cough
Can we tell Whooping
cough, before convulsions
has appeared.

R. Soda Bicarb. ʒj
Antimony Vinif. ʒss
Ext Belladonna grj
~~Opium ʒj~~
Simple Syrup. ʒss
Mentha Aqua ʒss
~~R. Aqua Sassa ʒj~~
to make ʒij

ʒj every 2 hours
a teaspoonful.

1st may sickness child
but or much better

It was a

cough

Whether whooping was a
pneumonia or nervous
disease. It is a
fever, with local affection.
Neither are inflammation.

nor a nervous affection
It is a convulsion.

Under epileptic convulsions
brain is involved;
Crisis may involve
all muscles in body.
In expiration, also.

There are 2 actions in
expiration, ²horacic & ⁴abdominal.
Whooping
cough is a convulsive
condition of pulmonary
system. An affection
of the ¹⁰gastro-bronchial
system. In healthy
condition, it is a labor
in pertussis, effort
effort effort, & then there
is a dilation which fills
the lungs



Case of Caroline

If there is a feeble whoop,
There is a danger. That is the
analysis of pertussis ^{locally}, but
it goes through 4 weeks to visit this woman & make
fever, thus making 8 weeks a diagnosis.
+ before 1st after. Fever
dissociated with the local
trouble.

Was called by Dr. Nickle,
to visit this woman & make
diagnosis.

now, 2ndly, to find out of what
the inorganic matter consists of:
Phosphate of Lime & Ammonia

Phosphate of Magnesia
& Phosphate of Lime, Ammonia
Magnesia
Silica of Lime

1st step.

One of the tests for phosphate
Lime, is that it will dissolve in

Of late of Lime Calculus
thought to be

1st test. Find out if organic or in-
organic, i.e., whether it is com-
posed of ^{inorganic} substances, obliterated
by high heat or not. If the
former, it is organic. May be
partially inorganic & organic.
This one, on this test, is inorganic

in inorganic acid without effervescence
before heating, which this does, showing the
carbonate acid, & also that with the following
step, showing, it is not a phosphate.
Phosphate of Lime will dissolve the same
way as the above, since not effervescent
heating it, but phosphate of Lime will
effervesce on heating it, caused by
driving off Carbonic oxide forming
carbonate of Lime.

This effervesces after heating, & put-
ting nitric acid in it.
next step is to take some of the powder
& subject to heat, & put reddened lit-
mus paper to it, the blue color of
the paper will be restored, thus
showing that it is an alkali, & Carbonic
Lime.

in which case, & all the organic
matter is driven off, thus showing
that it is mostly inorganic.
kind another one, & it is easily
driven off, thus showing it to be
inorganic.

Differential Diagnosis
between

1. Ovarian Cysts or Dropsy
2. Ascites & Cancer of the Ovary
3. Cancer of the abdominal organs, producing nodular elevations in the iliac region, associated with Ascites.

1. Ovarian Cysts.
Symptoms.

1. Age. Ovarian Dropsy has never been known to occur before age of puberty & seldom after period of child bearing has ceased. (Watson)
2. Appearance. Breadth of part not altered, no matter how patient lies. (Watson)
3. Percussion. On Percussion, sound is dull over tumour, which always occupies same situation, while a resonant sound is heard on the back of abdomen. (Wood & Watson)
4. Pressure. On Pressing vertically with tips of the fingers, a sensation of displacement of liquid & of impingement into a solid substance is felt. (Watson)
5. Pain. Tumour is generally in early stages, painless. (Watson)

6. Constitutionally, Appetite, not much impaired, urines
not scanty, skin, not dry. No peculiar thirst.
No peculiar emaciation. (Wood).

7. When tumour, is multicellular, small nodules are felt
on careful examination, over the surface. (Watson)

8. In later stages, generally accompanied with Adema
of lower extremities, caused by impeded circulation.

9. Menses generally wanting, irregular, as the tumour
may involve one or both sides (Wood & Watson)

This was called Mulberry
cancer 30 years ago.

15. *bulbophanes* gr.

Man was attacked
with violent pain in side.
It was considered by Dr Housh
a kidney complaint. It was
considered. Was pinched. 15
years after that, had another
attack. It occurred 6 years
ago, he was affected same way,
after being in a low suit &
was worried. Had the liver disorder.
think it a psychological effect.

He is constantly up at all
times for soap water. There is a
continued inch to soap water. Passes
2 quarts or more a day.

Lymph is much lower down
when opalates are formed than when
urates are formed.

Relieve the mental anxiety
of the man, ask him to diet.

Sept. 24th 1859

Dr. Spencer

Wash good for
Photophobia, to be
applied 6 times
a day. A Teaspoonful
in a tablespoonful of
water. *Applied to the eye* *the blood*
is needed

Aqua f. 3j

Cor. Sublim. grs

Mur. Arum. gr iij

Opin. Vir. 3℥ss

Applied in a case
of *Chasal Ophthalmia*
& *Trichiasis*

Ellen M. Laughlin

Apply same in
same way.

Also taking *Reum. Nervin*

R. Cit. Jer. & *Grin.* grs iij
Sh. Pil. No. XXII

one 3 times a day
after meals
Appetite good.

Jeff.

Sept. 24 / 1859

Rh. ^{Rheumatism}
Vin. Colchica 31

Morphine sulph. gr. 1/4

Veratrin Vin. grs. 600

I. To be given every night

Take a bottle of alcohol
fores. every day &
nutritious diet

Synsperical Love Throat &
Insalitis

Beer drinking Blue Neap &
Lilph. Ferris. Remove
small portion of buds &
then apply Nitro-glycerine.

Continue treatment as

before

34 Pil. Hydrarg.

Ferr. Sulph.

(20)

Case of Valgus.

Young child in resting
foot on floor, turns outer
margin upwards forms
a hollow of sole of foot.
Caused by tension of the
perineal muscle behind
below the external meatus.
Cut that ^{subcutaneously} & put on clubfoot
apparatus



a. red, inflamed
surface

b. ulcer.

had it for great
Pains. ^{at night}
Man with ulcer as above.

Bandage tightly above part below
the knee, remove in rapid motion
then scarify superficially.
Continue ulcer with ^{acid} ^{acid}
dissolved. Then apply ^{simple} ^{simple}
Painful, warm. Then apply ^{simple} ^{simple}
as healthy apply ^{simple} ^{simple}

Sept. 25th 1859 Dr. Parvach

Martha Fullerton,

Feels very weak.

Has not had an attack of Intermittent
since Sunday. Combined ^{Andronic Tertius} Intermittent &
^{continued with} Gastric Influenza. Intermittent gone.

Now Gastric Influenza is in force.

R. & V. Veronica gr.

H. Pil. No. 5.

S. Sine ocean ^{after} ~~honor~~ ^{each} meal

Which has an effect on the peristaltic or
churning muscular action of stomach


^{here last Tuesday.}
Anna & Emily, Jr. Complained of
croupy mellow when here before, but thought
it was a Whooping Cough, for which remedies
were directed. Pulse better, rones in
lungs better, tongue clean.

Same Treatment

Coughed a great deal last night.

Catarrhs. Combined forms of Intermittent
combined with another disease.





the funny. Diets. 7 weeks. 1897
 One finds the urine, after that
 has been Diets, is a good sign,
 not only from use of meat +
 nitrogenous food.

Prescribed for his passing
 3 pints of urine, 1/2 pints. Because
 there is either want of, or a dis-
 integration of blood corpuscles.
 See by conjugation, whether
 there are any blood corpus-
 cles, which is so in him. On
 this a/c, give him.

Dr. Ferris Carb. griff
 222; Take this every day.
 No grain powders for
 hour after meals.

Also taking
 Dr. Cartwright's water.
 Rheumatism is the
 collection of Lactic Acid
 Gout, of uric acid.
 Acetate 10 aps. good.

Sept. 27th 1897

Dr. Darrach

How Henderson
 Astro. Rainier Palman
 stand much better. 10/10
 appearance.



a - well
 b - well
 c. all, except the
 back, where there
 is a little more +
 surface red
 d. redder from
 swelling.
 e - swelling
 ends, all around
 better than last
 time

a = swelled + inflamed

In this case, the disease
 has left the palm + has
 attacked the fingers,
 except Index. The disease
 also assumed another
 mode, consisting now
 in the fingers of intense
 redness
 of Coryza, of Rhinorrhea,

gumma, of inflammation of the
 or the extremities. The fingers, being
 yellow the long fingers as much im-
 proved, the disease has also increased
 in the ring finger, but the little finger
 is much swollen + has more than
 fingers are now they have better they
 get some better. 10/10
 14. 2. 10/10 + 10/10 as a day

Cancer of abdominal organs, producing
nodular elevations in the Iliac Region, associated
with Ascites.

Diagnostic signs.

William Lee

Ben. sick 2 weeks. Has

had Emission (Tertian) every
other day, first at 12 M. other two
days, early in morning. Has

had 3 chills, first low, then
chills, get black & purple.

No purgation can be stopped
with less than 10 grains.

R. Quin. Sulph. gr x ij

Tannic Acid grj

Syrup. Limon.

Aqua Mentha ~~grj~~
10 drops

S. Take a dose every 2 hours.

Much with Emission

Sulph. Quinid. \mathcal{H}

Ol. Nig. Piperis \mathcal{H} ij

Ext. Lactucarii gr x

It. 10 Pil.

S. Take one every 3 hours

Get it 10th March

10

$$\frac{1}{2} + \frac{1}{4} + 1 + 1 = 10$$

$$4 + 2 + 8 + 8 = 560$$

$$\frac{11}{4} \cdot 9 = \frac{11}{0.2} = \frac{11}{0.28222} = 560$$


$$\frac{11}{5} \cdot 5 = 1 = 25 \frac{11}{11}$$

$$\frac{11}{1} \cdot \frac{1}{1} = \frac{11}{1} = 11$$

$$\frac{11}{1} \cdot 9 = 99$$


$$\frac{11}{1} \cdot 25 = 275$$

$$\frac{11}{1} \cdot 50 = 550$$



$$\frac{11}{1} \cdot 100 = 1100$$

$$\frac{11}{1} \cdot 200 = 2200$$



$$2200 = 2200$$

Differential diagnosis
between Ovarian Cysts,
Ascites, & Cancer of the
Ovary, or Cancer of the
abdominal organs,
producing nodular enlargement
in the iliac region associated
with Ascites.

Age as a sign.

See Nature & Treatment of
Cancer by Walsh.



$$105 = \frac{1}{2} + \frac{1}{4} + \frac{1}{8} + \frac{1}{16}$$

$$\frac{1}{16} = \frac{1}{16} + \frac{1}{16} + \frac{1}{16} + \frac{1}{16}$$

$$0.6 = \frac{1}{4} + \frac{1}{16} + \frac{1}{16} + \frac{1}{16}$$

